

SAFETY DATA SHEET

SECTION 1: PRODUCT IDENTIFICATION

Material Name: MARBLE NOT A CONTROLLED PRODUCT

Company: ARCHITECTURAL SURFACES

19012 Hwy 71 West, Spicewood TX 78669

512 263 7625

Emergency Contact Information: Poison Control Center 1 800 222 1222 or 911

Recommended use: Building material, Natural Stone used for Countertops, Floor and

ARCHITECTURAL SURFACES MARBLE SAFETY DATA SHEET

(H335) May cause Respiratory Irritation

(H372) Causes damage to organs (Lung/respiratory) through repeated or prolonged exposure

Precautionary Statements:

Do not handle until all safety precautions have been read and understood (P202)

Do not breath dusts (P260) when cutting, use water and/or exhaust ventilation to minimize exposure.

Wear respiratory protection (If ventilation is inadequate) (P284)

Do not eat, drink, or smoke when using this product (P270)

Wash skin thoroughly after handling (P264)

SECTION 5: FIRE FIGHTING MEASURES

Flash Point:	Not applicable
Auto Ignition Temperature:	Not applicable
Flammable Limits LEL & UEL:	Not applicable
Fire Extinguishing Media:	None required Non Flammable
Fire and Explosion Hazards:	None

SECTION 6: ACCIDENTAL RELEASE

Avoid creating

ARCHITECTURAL

SECTION 11: TOXICOLOGICAL INFORMATION (CONT)

Acute Health Effects

No acute health effects from exposure to intact natural stone products. Working with broken or cut natural stone produces the potential for cuts to the hands or other exposed body parts. Acute effects such as eye irritation may occur if associated with high dust operations such as dry cutting, or during removal of installed stone. In rare cases, symptoms of acute silicosis, a form of silicosis associated with exposure to respirable crystalline silica, may develop following acute exposure to extremely dusty environments caused by generation of dusts. Signs such as labored breathing and early fatigue may indicate silicosis, however, these symptom may arise from other causes.

Chronic Effects

No chronic effects are known for exposure to intact natural stone products. Long term, continual exposure to respirable crystalline silica at or above established permissible occupational

SECTION 11: TOXICOLOGICAL INFORMATION (CONT)

Overview of Animal Testing

Short term experimental studies of rats have found that intra tracheal instillation of quartz particles leads to the

